


Step by Step Beginners Setup Guide for Authelia



This article provides detailed instructions on integrating Authelia as a middleware with Traefik. Using Docker labels for configuration, this setup allows Traefik to query Authelia for authorization

on every web request. Authelia validates session cookies and access permissions for secure resource control. The information is partially sourced from [Brynn Crowley](#), referencing his [setup guide](#).

Prerequisites

- [Docker Swarm](#)
- [GlusterFS & Keepalived](#)
- [Traefik Reverse Proxy](#)

Important Notes

Configuration uses Docker labels directly in `docker-compose.yaml` to configure the Traefik Middleware.

Examples use a *whoami* application for demonstration.

Advanced configurations (e.g., SMTP) are available in [Authelia documentation](#).

Step-by-Step Guide

Step 1: Create Folders in the GlusterFS

```
mkdir -p /mnt/glustermount/data/authelia_data/  
mkdir -p /mnt/glustermount/data/authelia_data/logs  
mkdir -p /mnt/glustermount/data/authelia_data/config  
mkdir -p /mnt/glustermount/data/authelia_data/secrets
```

Step 2: Create External Network for Traefik Proxy (if not already done)

Create the `management_net` network:

```
docker network create -d overlay management_net
```

Step 3: Configure User Database

Create a basic user database:

```
nano mkdir -p /mnt/glustermount/data/authelia_data/config/users.yml
```

Paste this Content:

```
users:
  authelia: ## Username
    displayname: 'Authelia User'
    ## WARNING: This is a default password for testing only!
    ## IMPORTANT: Change this password before deploying to production!
    ## Generate a new hash using the instructions at:
    ## https://www.authelia.com/reference/guides/passwords/#passwords
    ## Password is 'authelia'
    password:
      '$6$rounds=50000$BpLnfgDsc2WD8F2q$Zis.ixdg9s/UOJYrs56b5QEZFtZECu0qZVNsiYxBaNj7ucIL.nlxVCT5tqh8KH
      G8X4tlwCFm5r6NTOZZ5qRFN/'
    email: 'authelia@authelia.com'
  groups:
    - 'admin'
    - 'dev'
```

The current password listed is `authelia`. It is important you [Generate](#) a new password hash.

Step 3.1: Generate Password Hash (Optional)

```
docker run --rm -it authelia/authelia:latest authelia crypto hash generate argon2
```

Step 4: Create Secrets

First provide needed Rights:

```
chown 8000:8000 /mnt/glustermount/data/authelia_data/secrets/ && chmod 0700  
/mnt/glustermount/data/authelia_data/secrets/
```

Then Create Secret Files:

```
docker run --rm -u 8000:8000 -v /mnt/glustermount/data/authelia_data/secrets:/secrets  
docker.io/authelia/authelia sh -c "cd /secrets && authelia crypto rand --length 64 session_secret.txt  
storage_encryption_key.txt jwt_secret.txt"
```

Step 5: Create Basic Authelia Configuration

```
server:  
  address: 'tcp4://:9091'  
  
log:  
  level: debug  
  file_path: '/var/log/authelia/authelia.log'  
  keep_stdout: true  
  
identity_validation:  
  elevated_session:  
    require_second_factor: true  
  reset_password:  
    jwt_lifespan: '5 minutes'  
    jwt_secret: '{{ secret "/secrets/jwt_secret.txt" | mindent 0 "|" | msquote }}'  
  
totp:  
  disable: false  
  issuer: 'aeoneros.com'  
  period: 30  
  skew: 1  
  
password_policy:  
  zxcvbn:  
    enabled: true  
    min_score: 4  
  
authentication_backend:
```

file:

path: '/config/users.yml'

password:

algorithm: 'argon2'

argon2:

variant: 'argon2id'

iterations: 3

memory: 65535

parallelism: 4

key_length: 32

salt_length: 16

access_control:

default_policy: 'deny'

rules:

- domain: 'traefik.aeoneiros.com'

policy: 'one_factor'

- domain: 'whoami-secure.aeoneiros.com'

policy: 'two_factor'

session:

name: 'authelia_session'

secret: {{ secret "/secrets/session_secret.txt" | mindent 0 "|" | msquote }}

cookies:

- domain: 'aeoneiros.com'

authelia_url: 'https://auth.aeoneiros.com'

regulation:

max_retries: 4

find_time: 120

ban_time: 300

storage:

encryption_key: {{ secret "/secrets/storage_encryption_key.txt" | mindent 0 "|" | msquote }}

local:

path: '/config/db.sqlite3'

notifier:

disable_startup_check: false

filesystem:

Step 6: Create Docker Compose

It is important to know that Traefik needs to wait for Authelia to startup. That's what the depends Function is for.

Otherwise Traefik will not notice the Authelia Middleware and maybe provide an Error.

```
version: '3.3'

services:
  traefik:
    user: 0:0 #Container being started with Root rights
    image: 'traefik:latest'
    security_opt:
      - 'no-new-privileges=true'
    restart: 'unless-stopped'
    depends_on:
      - authelia
    ports:
      # The Web UI (enabled by --api.insecure=true in traefik.toml)
      - '8080:8080'
      # The Available Ports (forward your router's incoming ports to the ports on the host)
      - '80:80'
      - '443:443'
    networks:
      management_net:
        aliases:
          - 'auth.domain.com'
      authelia: {}
  authelia: {}

volumes:
  # So that Traefik can listen to the Docker events (read-only)
  - '/var/run/docker.sock:/var/run/docker.sock:ro'
  # LetsEncrypt ACME Configuration
  - '/mnt/glustermount/data/traefik_data/acme.json:/le/acme.json'
  # Mount for Traefik AccessLog
  - '/mnt/glustermount/data/traefik_data/access.log:/access.log'
  # (STATIC CONFIG)
```

```
- './traefik/config/traefik.yml:/traefik.yml:ro'
# (DYNAMIC CONFIG)
- './traefik/config/dynamic.yml:/dynamic.yml:ro'
```

environment:

```
- TZ=Europe/Zurich
```

deploy:

```
mode: replicated
```

```
replicas: 1
```

labels:

```
- 'traefik.enable=true'
- 'traefik.http.routers.traefik.rule=Host(`traefik.domain.com`)'
- 'traefik.http.routers.traefik.service=api@internal'
- 'traefik.http.services.traefik.loadbalancer.server.port=8080'
- 'traefik.http.routers.traefik.tls.certresolver=leresolver'
- 'traefik.http.routers.traefik.entrypoints=websecure'
- 'traefik.http.routers.http-catchall.rule=hostregex(`{host:.+}`)'
- 'traefik.http.routers.http-catchall.entrypoints=web'
- 'traefik.http.routers.http-catchall.middlewares=redirect-to-https'
- 'traefik.http.middlewares.redirect-to-https.redirectscheme.scheme=https'
#Authelia Integration
- 'traefik.http.routers.dashboard.middlewares=authelia@docker'
```

authelia:

```
image: 'authelia/authelia:4.38'
```

```
container_name: 'authelia'
```

volumes:

```
- '/mnt/gluster mount/data/authelia_data/secrets:/secrets:ro'
- '/mnt/gluster mount/data/authelia_data/config:/config'
- '/mnt/gluster mount/data/authelia_data/logs:/var/log/authelia/'
```

networks:

```
authelia: {}
management_net: {}
```

labels:

```
## Expose Authelia through Traefik
traefik.enable: 'true'
traefik.docker.network: 'authelia'
traefik.http.routers.authelia.rule: 'Host(`auth.domain.com`)'
traefik.http.routers.authelia.entrypoints: 'websecure'
traefik.http.routers.authelia.tls.certresolver: 'leresolver'
```

```

traefik.http.services.authelia.loadbalancer.server.port: '9091'

## Setup Authelia ForwardAuth Middlewares

traefik.http.middlewares.authelia.forwardAuth.address: 'http://traefik_authelia:9091/api/authz/forward-auth'
traefik.http.middlewares.authelia.forwardAuth.trustForwardHeader: 'true'
traefik.http.middlewares.authelia.forwardAuth.authResponseHeaders: 'Remote-User,Remote-
Groups,Remote-Name,Remote-Email'

environment:
  TZ: 'Europe/Zurich'
  X_AUTHELIA_CONFIG_FILTERS: 'template'

whoami-secure:
  image: 'traefik/whoami'
  restart: 'unless-stopped'
  container_name: 'whoami-secure'
  depends_on:
    - authelia
  labels:
    traefik.enable: 'true'
    traefik.http.routers.whoami-secure.rule: 'Host(`whoami-secure.domain.com`)'
    traefik.http.routers.whoami-secure.entrypoints: 'websecure'
    traefik.http.routers.whoami-secure.middlewares: 'authelia@docker'
    traefik.http.services.whoami-secure.loadbalancer.server.port: '80'
    traefik.http.routers.whoami-secure.tls.certresolver: 'leresolver'
  networks:
    management_net: {}

networks:
  management_net:
    external: true # Primary network for management

authelia:

```

Step 7: Start the Stack

You can either do that with the provided Command or start the Stack with Portainer.

```
docker compose up -d
```

Step 8: Verify Setup

- Check container status: `docker compose ps`
- Access Traefik dashboard: <https://traefik.domain.com>
- Test authentication: <https://whoami-secure.domain.com>

Now you are ready to Setup with further Configuration.

It is possible to add Authelia Middleware to your Custom Applications by adding: `traefik.http.routers.YOUR-APPLICATION.middlewares: 'authelia@docker'`

Troubleshooting

- Check logs: `docker logs authelia`
- Ensure secret files exist and have correct permissions.
- Check Official Docs: <https://www.authelia.com/configuration/prologue/introduction/>

Further Configuration

Check out other Posts in my Wiki about setting up SMTP for example.

<https://wiki.aeoneros.com/books/authelia/chapter/configuration>

Revision #12

Created 8 January 2025 20:52:44 by aeoneros

Updated 8 January 2025 22:23:08 by aeoneros