

Static Configuration File



There are three different, mutually exclusive (i.e., you can use only one at the same time), ways to define static configuration options in Traefik:

- In a configuration file
- In the command-line arguments
- As environment variables

These ways are evaluated in the order listed above. If no value is provided for a given option, a default value applies. Moreover, if an option has sub-options and any of these sub-options are not specified, a default value will apply as well.

Static files can be Configured in Format of TOML or YAML Format.

I Prefer the YAML Format after working with TOML for 6 months because YAML is more intuitive for beginners.

How Traefik Loads the Static Configuration File

At startup, Traefik searches for static configuration in a file named `traefik.yml` (or `traefik.yaml` or `traefik.toml`) in:

- `/etc/traefik/`
- `$XDG_CONFIG_HOME/`
- `$HOME/.config/`
- `.` (the working directory).

Applying This Knowledge to Your Traefik Setup

Traefik will look for files named `traefik.yml`, `traefik.yaml`, or `traefik.toml` at the startup of the container. You need to mount the static configuration file into your Traefik container. Below is basic information on how to apply it in Docker Compose. For more details, refer to this post: [Bind Mounts](#).

I just call my static configuration file on my Linux host "`static.yaml`" so it is clear what is meant.

Examples of How to Apply

```
volumes:
  # Example 1
  - '/path/to/your/static.yml:/traefik.yml:ro'
  # Example 2
  - '/path/to/your/static.yaml:/traefik.yaml:ro'
  # Example 3
  - '/path/to/your/static.toml:/traefik.toml:ro'
```

Minimum Required Information Recommended in Your Static.yaml Example:

```
# Configuration for Traefik v3.3 by aeoneros

global:
  checkNewVersion: true
  sendAnonymousUsage: true

entryPoints:
  web:
    address: ":80"
  http:
```

```
redirections:
  entryPoint:
    to: websecure
    scheme: https
    permanent: true
```

```
websecure:
  address: ":443"
  http:
    tls:
      certResolver: "leresolver"
    domains:
      - main: 'yourdomain.com'
      sans:
        - '*.yourdomain.com'
```

```
tls:
  certificates:
    - stores: ["default"]
  stores:
    default:
      defaultCertificate: { }
```

```
log:
  filePath: "/traefik.log"
  level: "DEBUG"
```

```
accessLog:
  filePath: "/access.log"
  addInternals: true
  format: "json"
  bufferingSize: 200
  fields:
    defaultMode: "keep"
  headers:
    defaultMode: "keep"
  names:
    X-Forwarded-For: "keep"
```

```
api:
```

dashboard: false

insecure: false

providers:

docker:

exposedByDefault: false

network: "your_traefik_network"

swarm:

network: "your_traefik_network"

file:

watch: true

directory: "/dynamic/"

certificatesResolvers:

leresolver:

acme:

email: 'your-email@domain.com'

storage: '/acme.json'

caServer: 'https://acme-v02.api.letsencrypt.org/directory'

dnsChallenge:

provider: 'cloudflare'

delayBeforeCheck: '0'

resolvers:

- '1.1.1.1:53'

- '1.0.0.1:53'

- '8.8.8.8:53'

For more about dynamic configuration, see: [Dynamic Configuration Files](#).

Revision #4

Created 12 January 2025 11:25:15 by aeoneros

Updated 12 January 2025 12:22:16 by aeoneros